





PLAIN  
SERIES



300X300mm  
Heavy Duty Parking tiles



101



102



103



104





105




106




107



108




109



110





111



114




115



116







117



118




123



124



300X300 DIGITAL  
PARKING TILES



126




127



128-D



128-L






129



131




133







300X300 DIGITAL  
PARKING TILES



135



136



138




139




141



142



144




145







300X300 DIGITAL  
PARKING TILES



147




150




155



156




157



159



161



162




300X300 DIGITAL  
PARKING TILES



171



172




173






300X300 DIGITAL  
PARKING TILES




175



176




177




178

300X300 DIGITAL  
PARKING TILES




179



180




181




300X300 DIGITAL  
PARKING TILES



182



183



185





187




188







300X300 DIGITAL  
PARKING TILES



189-D



189-L



190-D




190-L






300X300 DIGITAL  
PARKING TILES




191-D



191-L



193-D



193-L





300X300 DIGITAL  
PARKING TILES



195-D



195-L




197-D



197-L



PLAIN- ●  
PUNCH- ●



208 ●



209 ●



300X300 DIGITAL  
PARKING TILES

PLAIN- ●  
PUNCH- ●



217 ●



218 ●





300X300 DIGITAL  
PARKING TILES


PLAIN- ●  
PUNCH- ●



219 ●



221 ●



222 ●



SKIDOO  
THE WORLD OF CERAMIC



## Technical Specification

Sr. No.	Property	VALUE
1	Deviation in Length	± 0.5 %
2	Deviation in Thickness	± 5 %
3	Straightness of Sides	± 0.5 %
4	Rectangularity	± 0.4 %
5	Surface flatness	± 0.2 %
6	Water absorption*	< 5 %
7	Chemical Resistance	Resistance to all alkalies (Except Hydro flouric acid and its compounds)
8	Thermal Shock	4 Cycles



**SKIDOO**  
THE WORLD OF CERAMIC

**SPECTO CERAMIC**

SI Survey No. 45, 8-A National Highway,  
Morbi-363642, (Guj.) India.  
Email : [specto.export@gmail.com](mailto:specto.export@gmail.com)  
Web : [www.skidoo Ceramic.com](http://www.skidoo Ceramic.com)  
Mo. No : +91 99789 66119

Size	Thickness	No. of Tiles/Box	Coverage Area (Approx)	Weight of Box (App.)
300x300mm	9mm (App.)	8 Pcs.	0.72 sq. mt.	12.8 Kgs.