



HEAVY DUTY  
PARKING TILES

# ORDINARY SERIES

---




## HEAVY DUTY PARKING TILES



PLAIN\_I




PLAIN\_T






## HEAVY DUTY PARKING TILES



CAPSULE\_I




CAPSULE\_T







## HEAVY DUTY PARKING TILES



CHECKRED\_I




CHECKRED\_T







## HEAVY DUTY PARKING TILES



BUTTON\_I




BUTTON\_T






STONE\_I



STONE\_T






## HEAVY DUTY PARKING TILES



REVLON\_I



REVLON\_T






SQUARE\_I




SQUARE\_T









## HEAVY DUTY PARKING TILES



TAB BUTTON\_I




TAB BUTTON\_T







## HEAVY DUTY PARKING TILES



COIN\_I




COIN\_T






## HEAVY DUTY PARKING TILES



STEEL GRIP\_I



STEEL GRIP\_T






## HEAVY DUTY PARKING TILES



STEP\_I



STEP\_T







## HEAVY DUTY PARKING TILES



STRIP\_I



STRIP\_T







## HEAVY DUTY PARKING TILES



STEP CUBE\_I



STEP CUBE\_T



## Technical Specification

Sr. No.	Property	VALUE
1	Deviation in Length	$\pm 0.5 \%$
2	Deviation in Thickness	$\pm 5 \%$
3	Straightness of Sides	$\pm 0.5 \%$
4	Rectangularity	$\pm 0.4 \%$
5	Surface flatness	$\pm 0.2 \%$
6	Water absorption*	$< 5 \%$
7	Chemical Resistance	Resistance to all alkalis (Except Hydro flouric acid and its compounds)
8	Thermal Shock	4 Cycles

Size	Thickness	No. of Tiles/Box	Coverage Area (Approx)	Weight of Box (App.)
300x300mm	9mm (App.)	8 Pcs.	0.72 sq. mt.	12.8 Kgs.



**SKIDOO**  
THE WORLD OF CERAMIC

**SPECTO CERAMIC**

SI Survey No. 45, 8-A National Highway,  
Morbi-363642, (Guj.) India.  
Email : [specto.export@gmail.com](mailto:specto.export@gmail.com)  
Web : [www.skidoo Ceramic.com](http://www.skidoo Ceramic.com)  
Mo. No : +91 99789 66119