





PUNCH SERIES




9mm
Thickness


300X300mm
Heavy Duty Parking tiles




1001



1002



1003




1004





300X300 DIGITAL
PARKING TILES



1005



1006




1007



1008



1009




1010







300X300 DIGITAL
PARKING TILES




2001



2002




2003







300X300 DIGITAL
PARKING TILES




2004



2005




2006



3001

300X300 DIGITAL
PARKING TILES




3002



3003




3004




3005







300X300 DIGITAL
PARKING TILES




3006



3007




3008




3009



4001



4002




4004







300X300 DIGITAL
PARKING TILES



4005




4007



4008


300X300 DIGITAL
PARKING TILES



5001



5002



5003




5004






300X300 DIGITAL
PARKING TILES



5005



5006




5007



6001




6002



6003



6004



6005





300X300 DIGITAL
PARKING TILES




6006




6007




6008




7001




7002



7003



7004



7005





7007



7010



7011



8001






300X300 DIGITAL
PARKING TILES



8002



8003



8004




8005






300X300 DIGITAL
PARKING TILES



8006



8007



8008



8009




8010




8011



8012



300X300 DIGITAL
PARKING TILES




9001




9002





300X300 DIGITAL
PARKING TILES




9003



9004



9005



9006

Technical Specification

| Sr. No. | Property | VALUE |
|---------|------------------------|--|
| 1 | Deviation in Length | ± 0.5 % |
| 2 | Deviation in Thickness | ± 5 % |
| 3 | Straightness of Sides | ± 0.5 % |
| 4 | Rectangularity | ± 0.4 % |
| 5 | Surface flatness | ± 0.2 % |
| 6 | Water absorption* | < 5 % |
| 7 | Chemical Resistance | Resistance to all alkalies (Except Hydro flouric acid and its compounds) |
| 8 | Thermal Shock | 4 Cycles |



SKIDOO
THE WORLD OF CERAMIC

SPECTO CERAMIC

SI Survey No. 45, 8-A National Highway,
Morbi-363642, (Guj.) India.
Email : specto.export@gmail.com
Web : www.skidoo Ceramic.com
Mo. No : +91 99789 66119

| Size | Thickness | No. of Tiles/Box | Coverage Area (Approx) | Weight of Box (App.) |
|-----------|------------|------------------|------------------------|----------------------|
| 300x300mm | 9mm (App.) | 8 Pcs. | 0.72 sq. mt. | 12.8 Kgs. |